







CITY SPECIFICATIONS & FEATURES

EX EX-L

| ENGINE TYPE | IN-LINE 4-CYLINDER | | |
|---|---------------------------|---------------------|--------|
| DISPLACEMENT (L / CC) | 1.5 / 1498 | | |
| HORSEPOWER @ RPM | 119 @ 6600 | | |
| TORQUE (LB-FT @ RPM) | 107 @ 4300 | | |
| BORE AND STROKE (MM) | | 73.0 X 89.5 | |
| COMPRESSION RATIO | | 10.6 : 1 | |
| VALVE TRAIN | | 16-VALVE DOHC I-VTI | EC |
| ECO ASSIST SYSTEM | | 0 | |
| HILL START ASSIST (HSA) | | 0 | |
| DIRECT IGNITION SYSTEM WITH IMMOBILIZER | | 0 | |
| REMOTE ENGINE START | | 0 | |
| TRANSMISSION | LX | EX | EX-L |
| CONTINUOUSLY VARIABLE TRANSMISSION (CVT) | | 0 | |
| BODY / SUSPENSION / CHASSIS | LX | EX | EX-L |
| MACPHERSON STRUT FRONT SUSPENSION | | 0 | |
| TORSION-BEAM REAR SUSPENSION | | | |
| VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING | | | |
| (EPS) | | 0 | |
| STABILIZER BAR (MM, FRONT - TUBULAR / REAR - SOLID) | | 22 | |
| STEERING WHEEL TURNS, LOCK-TO-LOCK | | 2.81 | |
| STEERING RATIO | | 13.4 | |
| TURNING DIAMETER, CURB-TO-CURB (M) | | 10.2 | |
| VENTILATED FRONT DISC / REAR DRUM BRAKES (MM, FRONT / REAR) | 262 / 200 | | |
| ALLOY WHEELS | 15" | | 16" |
| TIRES | 185 / 60 R15 185 / 55 R16 | | 55 R16 |
| COMPACT SPARE TIRE | | T135 / 80 D15 | |
| EXTERIOR MEASUREMENTS | LX | EX | EX-L |
| WHEELBASE (MM) | | 2600 | |
| LENGTH (MM) | | 4561 | |
| HEIGHT (MM) | | 1477 | |
| WIDTH (MM) | 1748 | | |
| TRACK (MM, FRONT / REAR) | 1494 / 1483 | | |
| CURB WEIGHT (KG, CVT) | 1120 | 1127 | 1130 |
| WEIGHT DISTRIBUTION (%, FRONT / REAR, CVT) | | 61 / 39 | |
| INTERIOR MEASUREMENTS | LX | EX | EX-L |
| HEADROOM (MM, FRONT / REAR) | | 990 / 939 | |
| LEGROOM (MM, FRONT / REAR) | 990 / 939 1062 / 980 | | |
| SHOULDER ROOM (MM, FRONT / REAR) | 1062 / 980 | | |
| HIPROOM (MM, FRONT / REAR) | | 1311 / 1275 | |
| CARGO VOLUME (M3 / LITER) | | 0.5 / 519 | |
| PASSENGER VOLUME (M3 / LITER) | 0.5 / 519 2.70 / 2704 | | |
| | | | |
| FUEL & CAPACITY | LX EX EX-L | | |
| FUEL (LITERS) | | 40 | 0 |
| REQUIRED FUEL | | REGULAR UNLEADE | |
| EXTERIOR FEATURES | LX | EX | EX-L |
| BODY-COLORED DOOR HANDLES | 0 | | - |
| PROJECTOR-BEAM HALOGEN HEADLIGHTS WITH AUTO-ON / OFF | | 0 | |
| INTERMITTENT WINDSHIELD WIPERS | | 0 | |
| FIN-TYPE ROOF-MOUNTED ANTENNA | | 0 | |
| SECURITY SYSTEM WITH REMOTE ENTRY AND TRUNK RELEASE | | • | |
| LED TAILLIGHTS | | • | |
| BODY-COLORED POWER SIDE MIRRORS | | 0 | |
| SMART ENTRY SYSTEM | | 0 | |
| POWER FOLDING SIDE MIRRORS WITH INTEGRATED TURN INDICATORS | - | | 0 |
| CHROME-COLORED DOOR HANDLES | | | 0 |
| | | | |
| FOG LIGHTS | | 0 | LED |

ENGINE

| SAFETY | LX | EX | EX-L |
|---|---------------------|----------|----------------|
| HONDA SENSING TECHNOLOGIES | | | |
| COLLISION MITIGATION BRAKING SYSTEM (CMBS) | | | 9 |
| ROAD DEPARTURE MITIGATION SYSTEM (RDM) | | | 0 |
| ADAPTIVE CRUISE CONTROL (ACC) | | | 0 |
| LANE KEEPING ASSIST SYSTEM (LKAS) | | | 0 |
| FORWARD COLLISION WARNING (FCW) | | - | 9 |
| DRIVER-ASSISTIVE TECHNOLOGIES | | | |
| HONDA LANEWATCH | | | 0 |
| AUTO HIGH-BEAM HEADLIGHTS | | | 0 |
| ACTIVE SAFETY | | | |
| MULTI-ANGLE REARVIEW CAMERA WITH GUIDELINES | | 0 | |
| VEHICLE STABILITY ASSIST (VSA) WITH TRACTION CONTROL | | 0 | |
| ANTI-LOCK BRAKING SYSTEM (ABS) | | 0 | |
| LED DAYTIME RUNNING LIGHTS (DRL) | | 0 | |
| PASSIVE SAFETY | | | |
| FRONT AIRBAGS (SRS) | | 0 | |
| FRONT SIDE AIRBAGS | | 0 | |
| SIDE CURTAIN AIRBAGS | | 0 | |
| 3-POINT SEAT BELTS AT ALL SEATING POSITIONS | | 0 | |
| FRONT 3-POINT SEAT BELTS WITH AUTOMATIC TENSIONING SYSTEM | | 0 | |
| LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH), 2ND-ROW OUTBOARD | | • | |
| SEAT BELT REMINDER FOR ALL SEATS | | 0 | |
| CHILD-PROOF REAR DOOR LOCKS | | 0 | |
| | LX EX EX-L | | |
| COMFORT & CONVENIENCE | LA | | LX-L |
| AUTOMATIC CLIMATE CONTROL SYSTEM | 0 | | |
| POWER WINDOWS WITH AUTO-UP / DOWN DRIVER'S WINDOW | | 0 | |
| POWER DOOR LOCKS | 0 | | |
| DRIVER'S ILLUMINATED WINDOW AND DOOR LOCK CONTROLS ONE-TOUCH TURN INDICATORS | 0 | | |
| | 0 | | |
| TILT AND TELESCOPIC STEERING COLUMN | ⊗ | | |
| POCKET LIGHT | | | |
| SUNVISORS | | | |
| DOOR-POCKET STORAGE BINS (FRONT / REAR) | 0 | | |
| ELECTRONIC REMOTE TRUNK RELEASE | | 0 | |
| MAP LIGHTS FLOOR MATS | | | |
| 12-VOLT POWER OUTLET (FRONT) | | 0 | |
| REAR WINDOW DEFROSTER | | 0 | |
| | | 0 | |
| CARGO AREA LIGHT | | | |
| ILLUMINATED STEERING WHEEL-MOUNTED CONTROLS DRIVER'S VANITY MIRROR | | 0 | |
| | | 0 | |
| PUSH BUTTON START | | | |
| BEVERAGE HOLDERS (FRONT / REAR) REAR-SEAT CENTER ARMREST WITH CUP HOLDER | | | |
| PASSENGER-SIDE SEATBACK POCKET | | 9 | WITH SUB-POCK |
| | | | |
| CRUISE CONTROL | - | ADAPTIVE | CRUISE CONTROL |
| CENTER CONSOLE WITH ARMREST AND STORAGE COMPARTMENT | - | | 0 |
| 12-VOLT POWER OUTLETS (REAR) REAR AIR VENTS | - | | 0 |
| | - | | 0 |
| FRONT PASSENGER'S VANITY MIRROR | - | | 0 |
| LEATHER-WRAPPED STEERING WHEEL AND SHIFT KNOB | | | WITH SUB-POCK |
| DRIVER-SIDE SEATBACK POCKET | | | |
| SEATING | LX | EX | EX-L |
| SEATING CAPACITY | | 5 | |
| ADJUSTABLE HEAD RESTRAINTS | | 0 | |
| DRIVER'S SEAT WITH MANUAL ADJUSTMENT | | 0 | |
| LEATHER-TRIMMED INTERIOR | | - | 0 |
| AUDIO & CONNECTIVITY | LX | EX | EX-L |
| AUDIO SYSTEM WITH 4 SPEAKERS | | 0 | |
| BLUETOOTH STREAMING AUDIO | | 0 | |
| BLUETOOTH HANDS FREE LINK | · · | | |
| | ∅ | | |
| 8-INCH AUDIO TOUCH SCREEN | | | |
| 8-INCH AUDIO TOUCH SCREEN IN-CAR SMARTHPHONE INTEGRATION APP | | 0 | |

⊘ | STANDARD -- | NOT AVAILABLE



WITH 1.5-A CHARGING PORT IN FRONT
WITH 1.0-A CHARGING PORT IN FRONT
SPEED-SENSITIVE VOLUME CONTROL (SVC)









CITY SPECIFICATIONS & FEATURES

EX EX-L

| ENGINE TYPE | IN-LINE 4-CYLINDER | | |
|---|---------------------------|---------------------|--------|
| DISPLACEMENT (L / CC) | 1.5 / 1498 | | |
| HORSEPOWER @ RPM | 119 @ 6600 | | |
| TORQUE (LB-FT @ RPM) | 107 @ 4300 | | |
| BORE AND STROKE (MM) | | 73.0 X 89.5 | |
| COMPRESSION RATIO | | 10.6 : 1 | |
| VALVE TRAIN | | 16-VALVE DOHC I-VTI | EC |
| ECO ASSIST SYSTEM | | 0 | |
| HILL START ASSIST (HSA) | | 0 | |
| DIRECT IGNITION SYSTEM WITH IMMOBILIZER | | 0 | |
| REMOTE ENGINE START | | 0 | |
| TRANSMISSION | LX | EX | EX-L |
| CONTINUOUSLY VARIABLE TRANSMISSION (CVT) | | 0 | |
| BODY / SUSPENSION / CHASSIS | LX | EX | EX-L |
| MACPHERSON STRUT FRONT SUSPENSION | | 0 | |
| TORSION-BEAM REAR SUSPENSION | | | |
| VARIABLE RATIO ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING | | | |
| (EPS) | | 0 | |
| STABILIZER BAR (MM, FRONT - TUBULAR / REAR - SOLID) | | 22 | |
| STEERING WHEEL TURNS, LOCK-TO-LOCK | | 2.81 | |
| STEERING RATIO | | 13.4 | |
| TURNING DIAMETER, CURB-TO-CURB (M) | | 10.2 | |
| VENTILATED FRONT DISC / REAR DRUM BRAKES (MM, FRONT / REAR) | 262 / 200 | | |
| ALLOY WHEELS | 15" | | 16" |
| TIRES | 185 / 60 R15 185 / 55 R16 | | 55 R16 |
| COMPACT SPARE TIRE | | T135 / 80 D15 | |
| EXTERIOR MEASUREMENTS | LX | EX | EX-L |
| WHEELBASE (MM) | | 2600 | |
| LENGTH (MM) | | 4561 | |
| HEIGHT (MM) | | 1477 | |
| WIDTH (MM) | 1748 | | |
| TRACK (MM, FRONT / REAR) | 1494 / 1483 | | |
| CURB WEIGHT (KG, CVT) | 1120 | 1127 | 1130 |
| WEIGHT DISTRIBUTION (%, FRONT / REAR, CVT) | | 61 / 39 | |
| INTERIOR MEASUREMENTS | LX | EX | EX-L |
| HEADROOM (MM, FRONT / REAR) | | 990 / 939 | |
| LEGROOM (MM, FRONT / REAR) | 990 / 939 1062 / 980 | | |
| SHOULDER ROOM (MM, FRONT / REAR) | 1062 / 980 | | |
| HIPROOM (MM, FRONT / REAR) | | 1311 / 1275 | |
| CARGO VOLUME (M3 / LITER) | | 0.5 / 519 | |
| PASSENGER VOLUME (M3 / LITER) | 0.5 / 519 2.70 / 2704 | | |
| | | | |
| FUEL & CAPACITY | LX EX EX-L | | |
| FUEL (LITERS) | | 40 | 0 |
| REQUIRED FUEL | | REGULAR UNLEADE | |
| EXTERIOR FEATURES | LX | EX | EX-L |
| BODY-COLORED DOOR HANDLES | 0 | | - |
| PROJECTOR-BEAM HALOGEN HEADLIGHTS WITH AUTO-ON / OFF | | 0 | |
| INTERMITTENT WINDSHIELD WIPERS | | 0 | |
| FIN-TYPE ROOF-MOUNTED ANTENNA | | 0 | |
| SECURITY SYSTEM WITH REMOTE ENTRY AND TRUNK RELEASE | | • | |
| LED TAILLIGHTS | | • | |
| BODY-COLORED POWER SIDE MIRRORS | | 0 | |
| SMART ENTRY SYSTEM | | 0 | |
| POWER FOLDING SIDE MIRRORS WITH INTEGRATED TURN INDICATORS | - | | 0 |
| CHROME-COLORED DOOR HANDLES | | | 0 |
| | | | |
| FOG LIGHTS | | 0 | LED |

ENGINE

| SAFETY | LX | EX | EX-L |
|---|---------------------------------------|----------|----------------|
| HONDA SENSING TECHNOLOGIES | | | |
| COLLISION MITIGATION BRAKING SYSTEM (CMBS) | | | 9 |
| ROAD DEPARTURE MITIGATION SYSTEM (RDM) | | | 0 |
| ADAPTIVE CRUISE CONTROL (ACC) | | | 0 |
| LANE KEEPING ASSIST SYSTEM (LKAS) | | | 0 |
| FORWARD COLLISION WARNING (FCW) | | - | 9 |
| DRIVER-ASSISTIVE TECHNOLOGIES | | | |
| HONDA LANEWATCH | | | 0 |
| AUTO HIGH-BEAM HEADLIGHTS | | | 0 |
| ACTIVE SAFETY | | | |
| MULTI-ANGLE REARVIEW CAMERA WITH GUIDELINES | | 0 | |
| VEHICLE STABILITY ASSIST (VSA) WITH TRACTION CONTROL | | 0 | |
| ANTI-LOCK BRAKING SYSTEM (ABS) | | 0 | |
| LED DAYTIME RUNNING LIGHTS (DRL) | | 0 | |
| PASSIVE SAFETY | | | |
| FRONT AIRBAGS (SRS) | | 0 | |
| FRONT SIDE AIRBAGS | | 0 | |
| SIDE CURTAIN AIRBAGS | | 0 | |
| 3-POINT SEAT BELTS AT ALL SEATING POSITIONS | | 0 | |
| FRONT 3-POINT SEAT BELTS WITH AUTOMATIC TENSIONING SYSTEM | | 0 | |
| LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH), 2ND-ROW OUTBOARD | | • | |
| SEAT BELT REMINDER FOR ALL SEATS | | 0 | |
| CHILD-PROOF REAR DOOR LOCKS | | 0 | |
| | LX EX EX-L | | |
| COMFORT & CONVENIENCE | LA | | LX-L |
| AUTOMATIC CLIMATE CONTROL SYSTEM | 0 | | |
| POWER WINDOWS WITH AUTO-UP / DOWN DRIVER'S WINDOW | | 0 | |
| POWER DOOR LOCKS | 0 | | |
| DRIVER'S ILLUMINATED WINDOW AND DOOR LOCK CONTROLS ONE-TOUCH TURN INDICATORS | 0 | | |
| | 0 | | |
| TILT AND TELESCOPIC STEERING COLUMN | ⊗ | | |
| POCKET LIGHT | | | |
| SUNVISORS | | | |
| DOOR-POCKET STORAGE BINS (FRONT / REAR) | 0 | | |
| ELECTRONIC REMOTE TRUNK RELEASE | | 0 | |
| MAP LIGHTS FLOOR MATS | | | |
| 12-VOLT POWER OUTLET (FRONT) | | 0 | |
| REAR WINDOW DEFROSTER | | 0 | |
| | | 0 | |
| CARGO AREA LIGHT | | | |
| ILLUMINATED STEERING WHEEL-MOUNTED CONTROLS DRIVER'S VANITY MIRROR | | 0 | |
| | | 0 | |
| PUSH BUTTON START | | | |
| BEVERAGE HOLDERS (FRONT / REAR) REAR-SEAT CENTER ARMREST WITH CUP HOLDER | | | |
| PASSENGER-SIDE SEATBACK POCKET | | 9 | WITH SUB-POCK |
| | | | |
| CRUISE CONTROL | - | ADAPTIVE | CRUISE CONTROL |
| CENTER CONSOLE WITH ARMREST AND STORAGE COMPARTMENT | - | | 0 |
| 12-VOLT POWER OUTLETS (REAR) REAR AIR VENTS | - | | 0 |
| | - | | 0 |
| FRONT PASSENGER'S VANITY MIRROR | - | | 0 |
| LEATHER-WRAPPED STEERING WHEEL AND SHIFT KNOB | | | WITH SUB-POCK |
| DRIVER-SIDE SEATBACK POCKET | | | |
| SEATING | LX | EX | EX-L |
| SEATING CAPACITY | | 5 | |
| ADJUSTABLE HEAD RESTRAINTS | | 0 | |
| DRIVER'S SEAT WITH MANUAL ADJUSTMENT | | 0 | |
| LEATHER-TRIMMED INTERIOR | | - | 0 |
| AUDIO & CONNECTIVITY | LX | EX | EX-L |
| AUDIO SYSTEM WITH 4 SPEAKERS | | 0 | |
| BLUETOOTH STREAMING AUDIO | | 0 | |
| BLUETOOTH HANDS FREE LINK | · · · · · · · · · · · · · · · · · · · | | |
| | ∅ | | |
| 8-INCH AUDIO TOUCH SCREEN | | | |
| 8-INCH AUDIO TOUCH SCREEN IN-CAR SMARTHPHONE INTEGRATION APP | | 0 | |

⊘ | STANDARD -- | NOT AVAILABLE



WITH 1.5-A CHARGING PORT IN FRONT
WITH 1.0-A CHARGING PORT IN FRONT
SPEED-SENSITIVE VOLUME CONTROL (SVC)