







HR-V SPECIFICATIONS & FEATURES

ENGINE	LX	EX	EX-L HYBRI
ENGINE TYPE	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER
DISPLACEMENT (CC)	1496	1496	1496
HORSEPOWER @ RPM	119 @ 6600	119 @ 6600	105 @ 6000-640
FORQUE (LB-FT @ RPM)	127 @ 4300	107 @ 4300	94 @ 4500-500
BORE AND STROKE (MM)	73 X 89.5	73 X 89.5	73 X 89.5
COMPRESSION RATIO	10.6 : 1	10.6 : 1	13.5 : 1
/ALVE TRAIN	16-VALVE DOHC I-VTEC	16-VALVE DOHC I-VTEC	16-VALVE DOH I-VTEC
ELECTRONIC PARKING BRAKE (EPB) WITH AUTOMATIC BRAKE HOLD	0	0	0
HILL DESCENT CONTROL	0	0	0
HILL START ASSIST (HSA)	0	0	0
ECO ASSIST SYSTEM	0	0	0
DIRECT IGNITION SYSTEM WITH IMMOBILIZER ELECTRIC MOTOR	•	0	0
HORSEPOWER @ RPM	-	-	129 @ 4000-800
TORQUE (LB-FT @ RPM)			187 @ 0-3500
TOTAL SYSTEM HORSEPOWER*			212
LITHIUM-ION BATTERY		-	0
3-MODE DRIVE SYSTEM (ECON / NORMAL / SPORT)			0
DLE-STOP			0
TRANSMISSION	LX	EX	EX-L HYBRI
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	0	0	
			WITH PADDLE
ELECTRONIC CONTINUOUSLY VARIABLE TRANSMISSION (E-CVT)		-	SHIFTERS
BODY / SUSPENSION / CHASSIS	LX	EX	EX-L HYBR
UNIT-BODY CONSTRUCTION	0	0	0
MACPHERSON STRUT FRONT SUSPENSION	0	0	0
TORSION-BEAM REAR SUSPENSION	0	0	0
ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS)	0	0	0
STEERING WHEEL TURNS, LOCK-TO-LOCK	2.7	2.7	2.7
STEERING RATIO	14.4	14.4	14.4
TURNING DIAMETER, CURB-TO-CURB (M)	11.3	11.3	11.3
POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES MM, FRONT / REAR)	293 / 282	293 / 282	293 / 282
ALLOY WHEELS	17"	17"	17"
TIRES	215/60 R17 96H	215/60 R17 96H	215/60 R17 96I
FULL SIZE SPARE TIRE	0	0	TIRE REPAIR KI
	-		
EXTERIOR MEASUREMENTS	LX	EX	EX-L HYBRI
	LX 2610		EX-L HYBRI 2610
WHEELBASE (MM)		EX	
WHEELBASE (MM) LENGTH (MM)	2610	EX 2610	2610
MHEELBASE (MM) LENGTH (MM) HEIGHT (MM)	2610 4346	EX 2610 4346	2610 4346
MHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM)	2610 4346 1590	EX 2610 4346 1590	2610 4346 1590
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR)	2610 4346 1590 1790 1548 /1553	EX 2610 4346 1590 1790 1548/1553	2610 4346 1590 1790 1548 /1553
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM) ITRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG)	2610 4346 1590 1790 1548/1553 196 1294	EX 2610 4346 1590 1790 1548/1553 196	2610 4346 1590 1790 1548 /1553 196 1380
EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR)	2610 4346 1590 1790 1548 /1553	EX 2610 4346 1590 1790 1548/1553	2610 4346 1590 1790 1548 /1553
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM) ITRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG)	2610 4346 1590 1790 1548/1553 196 1294	EX 2610 4346 1590 1790 1548/1553 196	2610 4346 1590 1790 1548 /1553 196 1380
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS	2610 4346 1590 1790 1548/1553 196 1294 53/47	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47	2610 4346 1590 1790 1548 /1553 196 1380 54 / 46
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) ITRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR)	2610 4346 1590 1790 1548 /1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017	EX 2610 4346 1590 1790 1548/1553 196 1304 53 / 47 EX 984 / 957 1047 / 1017	2610 4346 1590 1790 1548 / 1553 196 1380 54 / 46 EX-L HYBRI 984 / 957 1047 / 1017
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) ITRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR)	2610 4346 1590 1790 1548 /1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357	2610 4346 1590 1790 1548 /1553 196 1380 54 / 46 EX-L HYBR 984 / 957 1047 / 1017
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) ITRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR)	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151	EX 2610 4346 1590 1790 1548/1553 196 1304 53 / 47 EX 984/957 1047 / 1017 1438 / 1357 1349 / 1151	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM) FRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CHIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP)	2610 4346 1590 1790 1548 /1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315	EX 2610 4346 1590 1790 1548 / 1553 196 1304 53 / 47 EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151
MHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM) FRACK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KS) WEIGHT DISTRIBUTION (%, FRONT / REAR) NTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CHOPPOOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS)	2610 4346 1590 1790 1548 / 1553 196 1294 53 / 47 LX 98 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761	EX 2610 4346 1590 1790 1548 /1553 196 1304 53 / 47 EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2,76/2761
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KS) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS)	2610 4346 1590 1790 1548 /1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315	EX 2610 4346 1590 1790 1548 / 1553 196 1304 53 / 47 EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2,76/2761
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) MIDTH (MM) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) HEIGHT (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY	2610 4346 1590 1790 1548 / 1553 196 1294 53 / 47 LX 98 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761	EX 2610 4346 1590 1790 1548 /1553 196 1304 53 / 47 EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761	2610 4346 1590 1790 1548 /1553 196 1380 54 / 46 EX-L HYBRI 984 / 957 1047 / 1017 1338 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L HYBRI 40
WHEELBASE (MM) ENGTH (MM) HEIGHT (MM) WIDTH (MM) FRACK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) DURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) NTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (MJ / LITERS) FUEL & CAPACITY FUEL LANK CAPACITY (LITERS)	2610 4346 1590 1790 1588/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX	EX 2610 4346 1590 1790 1548/1553 196 1304 53747 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) FRACK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) DURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) HEROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M, STATES) FUEL TANK CAPACITY FUEL TANK CAPACITY FUEL TANK CAPACITY (LITERS)	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED	EX 2610 4346 1590 1790 1548/1553 196 1304 53747 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 EX 40 REGULAR UNLEADED	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) ITRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI
WHEELBASE (MM) ENGTH (MM) HEIGHT (MM) HEIGHT (MM) MIDTH (MM) RROCK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) NTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) HEADROOM (MM, FRONT / REAR) HEROROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL ANK CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES ED HEADLIGHTS WITH AUTO-OFF	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI
WHEELBASE (MM) ENGTH (MM) HEIGHT (MM) HEIGHT (MM) RICTH (MM) RROCK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) NTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) EGROOM (MM, FRONT / REAR) HEROOM (MM, FRONT / REAR) HEROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY FUEL TANK CAPACITY WELL TANK CA	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX	EX 2610 4346 1590 1790 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) HEIGHT (MM) RECK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) NTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) LARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 LX 40 REGULAR UNLEADED LX	EX 2610 4346 1590 1790 1790 1548/1533 196 1304 53/47 EX 984/957 1047/1017 1438/1315 2,76/2761 EX 40 REGULAR UNLEADED EX ©	2610 4346 1590 1790 1548/1553 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX-L HYBRI 40 REGULAR REGULAR UNLEADED EX-L HYBRI ©
WHEELBASE (MM) ENGTH (MM) HEIGHT (MM) HEIGHT (MM) FRACK (MM, FRONT / REAR) FROUND CLEARANCE (MM, UNLADEN) PURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) HEADROOM (MM, FRONT /	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX • • • • • • • • • • • • • • • • •	EX 2610 4346 1590 1790 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI © ©
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) IRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) HEADROOM (MM, FRONT / REAR) HOULDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS LED FOG LIGHTS FIN-TYPE ROOF-MOUNTED ANTENNA SECURITY SYSTEM WITH REMOTE ENTRY	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX •	EX 2610 4346 1590 1790 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 276/2761 EX 40 REGULAR UNLEADED EX ©	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI © © ©
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) FRACK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) JURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) NTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) HEADROOM (MM, FRONT / REAR) HEROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (LITERS, SEAT UP) PSEUL & CAPACITY FUEL TANK CAPACITY FUEL TO FUEL TO FEEL TO	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX •	EX 2610 4346 1590 1790 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX © ©	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBR 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX-L HYBR
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) HEIGHT (MM) RIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS LED FOG LIGHTS HIPT-TYPE ROOF-MOUNTED ANTENNA SECURITY SYSTEM SMART ENTRY SYSTEM REVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX • • • • • • • • • • • • • • • • • •	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX © ©	2610 4346 1590 1790 1748 /1553 196 1380 54 / 46 EX-L HYBRI 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI © © ©
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) HEIGHT (MM) JOTH (MM)	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX O O O O	EX 2610 4346 1590 1790 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX © ©	2610 4346 1590 1790 1748 / 1553 196 1380 54 / 46 EX-L HYBRI 984 / 957 1047 / 1017 1349 / 1151 354 / 1315 2.76 / 2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI © © ©
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) MIDTH (MM) RECKL (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) METERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LECROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOW (MM, F	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 2.76/2761 LX 40 REGULAR UNLEADED LX O O O O	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1551 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX © 0 0 0 0	2610 4346 1590 1790 1790 1548/1553 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI © 0 0 0 0 0 0
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) FRACK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) JURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) HEADROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / RE	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX O O O O	EX 2610 4346 1590 1790 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX © ©	2610 4346 1590 1790 1548 /1553 196 1380 54 / 46 EX-L HYBRI 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 2.76 / 2761 EX-L HYBRI © © © ©
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR)	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 2.76/2761 LX 40 REGULAR UNLEADED LX O O O O	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1551 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX © 0 0 0 0	2610 4346 1590 1790 1548 /1553 196 1380 54 / 46 EX-L HYBRI 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L HYBRI

SAFETY	LX	EX	EX-L HYBR
HONDA SENSING TECHNOLOGIES			
COLLISION MITIGATION BRAKING SYSTEM (CMBS)			0
ROAD DEPARTURE MITIGATION SYSTEM (RDM)			0
ADAPTIVE CRUISE CONTROL (ACC)			0
LANE KEEPING ASSIST SYSTEM (LKAS)		-	0
LEAD CAR DEPARTURE NOTIFICATION SYSTEM (LCDN)			0
DRIVER-ASSISTIVE TECHNOLOGY			
HONDA LANEWATCH	0	0	0
REAR SEAT REMINDER (RSR)	0	0	0
AUTO HIGH-BEAM HEADLIGHTS	0	0	0
ACTIVE SAFETY			
MULTI-ANGLE REARVIEW CAMERA WITH GUIDELINES	0	0	0
VEHICLE STABILITY ASSIST (VSA)	0	0	0
ANTI-LOCK BRAKING SYSTEM (ABS)	0	0	0
LED DAYTIME RUNNING LIGHTS (DRL)	0	0	0
PASSIVE SAFETY			
ADVANCED COMPATIBILITY ENGINEERING (ACE) BODY STRUCTURE	0	0	0
	0	9	0
FRONT AIRBAGS (SRS)			
FRONT SIDE AIRBAGS	0	0	0
SIDE CURTAIN AIRBAGS	0	0	0
3-POINT SEAT BELTS AT ALL SEATING POSITIONS	0	0	0
LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH): 2ND-ROW OUTBOARD	0	0	•
SEAT BELT REMINDER FOR ALL SEATING POSITIONS	0	0	0
	LX	EX	EX-L HYBR
COMFORT & CONVENIENCE			
AUTOMATIC CLIMATE CONTROL SYSTEM	0	DUAL-ZONE	DUAL-ZONE
POWER DOOR LOCKS	0	0	0
POWER WINDOWS WITH AUTO-UP / DOWN DRIVER'S WINDOW	0	0	0
LLUMINATED WINDOW AND DOOR LOCK CONTROLS	0	0	0
PUSH BUTTON START	0	0	•
ONE-TOUCH TURN INDICATORS	0	0	0
TILT AND TELESCOPIC STEERING COLUMN	0	0	0
BEVERAGE HOLDERS	0	0	0
LED MAP LIGHTS	0	0	0
DRIVER'S AND FRONT PASSENGER'S SEATBACK POCKET	0	0	0
PASSENGER-ASSIST GRIP (FRONT / REAR)	0	0	0
GARMENT HOOKS	0	0	0
REAR-SEAT HEATER DUCTS	0	0	0
REAR WINDOW DEFROSTER	0	0	0
REMOVABLE CARGO AREA COVER			0
CARGO AREA TIE-DOWN ANCHORS	0	0	0
ILLUMINATED STEERING WHEEL-MOUNTED CONTROLS	0	0	0
DRIVER'S AND FRONT PASSENGER'S VANITY MIRRORS	0	0	ILLUMINATE
SLIDING SLINVISORS WITH TICKET HOLDER	0	0	0
LED CARGO AREA LIGHT	0	0	0
LED CENTER CONSOLE STORAGE	0	0	0
	•		
LEATHER-WRAPPED STEERING WHEEL AND SHIFT KNOB		0	0
AUTOMATIC-DIMMING REARVIEW MIRROR	-		_
SEATING	LX	EX	EX-L HYBR
DRIVER'S SEAT WITH MANUAL HEIGHT ADJUSTMENT	0	0	8-WAY POWE
ADJUSTABLE FRONT SEAT-BELT ANCHORS	0	0	0
HEAD RESTRAINTS AT ALL SEATING POSITIONS	0	0	0
60 / 40 SPLIT 2ND-ROW MAGIC SEAT	0	0	0
SEATING CAPACITY	5	5	5
LEATHER-TRIMMED SEATS		-	0
	LX	EX	EX-L HYBR
AUDIO & CONNECTIVITY	0	0	0
		6-SPEAKERS	8-SPEAKERS
8-INCH COLOR TOUCH-SCREEN			o-sreakers
8-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS	0		-
8-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE	∅∅	0	0
8-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE 12-VOLT POWER OUTLET		0	0
B-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE 12-VOLT POWER OUTLET IN-CAR SMARTPHONE INTEGRATION APP	<!--</td--><td></td><td>0</td>		0
B-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE 12-VOLT POWER OUTLET IN-CAR SMARTPHONE INTEGRATION APP BLUETOOTH HANDS FREE LINK	<!--</td--><td>ØØØ</td><td>0</td>	ØØØ	0
B-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE 12-VOLT POWER OUTLET IN-CAR SMARTPHONE INTEGRATION APP BLUETOOTH HANDS FREE LINK BLUETOOTH STREAMING AUDIO	0 0 0	0	0
AUDIO & CONNECTIVITY 8-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE 12-VOLT POWER OUTLET IN-CAR SMARTPHONE INTEGRATION APP BLUETOOTH HANDS FREE LINK BLUETOOTH STREAMING AUDIO 4.2-INCH DRIVER INFORMATION INTERFACE (DII) SCREEN	<!--</td--><td>ØØØ</td><td>0</td>	ØØØ	0











HR-V SPECIFICATIONS & FEATURES

ENGINE	LX	EX	EX-L HYBRI
ENGINE TYPE	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER	IN-LINE 4-CYLINDER
DISPLACEMENT (CC)	1496	1496	1496
HORSEPOWER @ RPM	119 @ 6600	119 @ 6600	105 @ 6000-640
FORQUE (LB-FT @ RPM)	127 @ 4300	107 @ 4300	94 @ 4500-500
BORE AND STROKE (MM)	73 X 89.5	73 X 89.5	73 X 89.5
COMPRESSION RATIO	10.6 : 1	10.6 : 1	13.5 : 1
/ALVE TRAIN	16-VALVE DOHC I-VTEC	16-VALVE DOHC I-VTEC	16-VALVE DOH I-VTEC
ELECTRONIC PARKING BRAKE (EPB) WITH AUTOMATIC BRAKE HOLD	0	0	0
HILL DESCENT CONTROL	0	0	0
HILL START ASSIST (HSA)	0	0	0
ECO ASSIST SYSTEM	0	0	0
DIRECT IGNITION SYSTEM WITH IMMOBILIZER ELECTRIC MOTOR	•	0	0
HORSEPOWER @ RPM	-	-	129 @ 4000-800
TORQUE (LB-FT @ RPM)			187 @ 0-3500
TOTAL SYSTEM HORSEPOWER*			212
LITHIUM-ION BATTERY		-	0
3-MODE DRIVE SYSTEM (ECON / NORMAL / SPORT)			0
DLE-STOP			0
TRANSMISSION	LX	EX	EX-L HYBRI
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	0	0	
			WITH PADDLE
ELECTRONIC CONTINUOUSLY VARIABLE TRANSMISSION (E-CVT)		-	SHIFTERS
BODY / SUSPENSION / CHASSIS	LX	EX	EX-L HYBR
UNIT-BODY CONSTRUCTION	0	0	0
MACPHERSON STRUT FRONT SUSPENSION	0	0	0
TORSION-BEAM REAR SUSPENSION	0	0	0
ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS)	0	0	0
STEERING WHEEL TURNS, LOCK-TO-LOCK	2.7	2.7	2.7
STEERING RATIO	14.4	14.4	14.4
TURNING DIAMETER, CURB-TO-CURB (M)	11.3	11.3	11.3
POWER-ASSISTED VENTILATED FRONT DISC / SOLID REAR DISC BRAKES MM, FRONT / REAR)	293 / 282	293 / 282	293 / 282
ALLOY WHEELS	17"	17"	17"
TIRES	215/60 R17 96H	215/60 R17 96H	215/60 R17 96I
FULL SIZE SPARE TIRE	0	0	TIRE REPAIR KI
	-		
EXTERIOR MEASUREMENTS	LX	EX	EX-L HYBRI
	LX 2610		EX-L HYBRI 2610
WHEELBASE (MM)		EX	
WHEELBASE (MM) LENGTH (MM)	2610	EX 2610	2610
MHEELBASE (MM) LENGTH (MM) HEIGHT (MM)	2610 4346	EX 2610 4346	2610 4346
MHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM)	2610 4346 1590	EX 2610 4346 1590	2610 4346 1590
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR)	2610 4346 1590 1790 1548 /1553	EX 2610 4346 1590 1790 1548/1553	2610 4346 1590 1790 1548 /1553
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM) ITRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG)	2610 4346 1590 1790 1548/1553 196 1294	EX 2610 4346 1590 1790 1548/1553 196	2610 4346 1590 1790 1548 /1553 196 1380
EXTERIOR MEASUREMENTS WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR)	2610 4346 1590 1790 1548 /1553	EX 2610 4346 1590 1790 1548/1553	2610 4346 1590 1790 1548 /1553
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM) ITRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG)	2610 4346 1590 1790 1548/1553 196 1294	EX 2610 4346 1590 1790 1548/1553 196	2610 4346 1590 1790 1548 /1553 196 1380
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS	2610 4346 1590 1790 1548/1553 196 1294 53/47	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47	2610 4346 1590 1790 1548 /1553 196 1380 54 / 46
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) ITRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR)	2610 4346 1590 1790 1548 /1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017	EX 2610 4346 1590 1790 1548/1553 196 1304 53 / 47 EX 984 / 957 1047 / 1017	2610 4346 1590 1790 1548 / 1553 196 1380 54 / 46 EX-L HYBRI 984 / 957 1047 / 1017
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) ITRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR)	2610 4346 1590 1790 1548 /1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357	2610 4346 1590 1790 1548 /1553 196 1380 54 / 46 EX-L HYBR 984 / 957 1047 / 1017
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) ITRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR)	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151	EX 2610 4346 1590 1790 1548/1553 196 1304 53 / 47 EX 984/957 1047 / 1017 1438 / 1357 1349 / 1151	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM) FRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CHIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP)	2610 4346 1590 1790 1548 /1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315	EX 2610 4346 1590 1790 1548 / 1553 196 1304 53 / 47 EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151
MHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM) FRACK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KS) WEIGHT DISTRIBUTION (%, FRONT / REAR) NTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CHOPPOOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS)	2610 4346 1590 1790 1548 / 1553 196 1294 53 / 47 LX 98 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761	EX 2610 4346 1590 1790 1548 /1553 196 1304 53 / 47 EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2,76/2761
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KS) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS)	2610 4346 1590 1790 1548 /1553 196 1294 53 / 47 LX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315	EX 2610 4346 1590 1790 1548 / 1553 196 1304 53 / 47 EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2,76/2761
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) MIDTH (MM) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) HEIGHT (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY	2610 4346 1590 1790 1548 / 1553 196 1294 53 / 47 LX 98 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761	EX 2610 4346 1590 1790 1548 /1553 196 1304 53 / 47 EX 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761	2610 4346 1590 1790 1548 /1553 196 1380 54 / 46 EX-L HYBRI 984 / 957 1047 / 1017 1338 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L HYBRI 40
WHEELBASE (MM) ENGTH (MM) HEIGHT (MM) WIDTH (MM) FRACK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) DURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) NTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (MJ / LITERS) FUEL & CAPACITY FUEL LANK CAPACITY (LITERS)	2610 4346 1590 1790 1588/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX	EX 2610 4346 1590 1790 1548/1553 196 1304 53747 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) FRACK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) DURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) HEROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M, STATES) FUEL TANK CAPACITY FUEL TANK CAPACITY FUEL TANK CAPACITY (LITERS)	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED	EX 2610 4346 1590 1790 1548/1553 196 1304 53747 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 EX 40 REGULAR UNLEADED	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) ITRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI
WHEELBASE (MM) ENGTH (MM) HEIGHT (MM) HEIGHT (MM) MIDTH (MM) RROCK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) NTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) HEADROOM (MM, FRONT / REAR) HEROROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL ANK CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES ED HEADLIGHTS WITH AUTO-OFF	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI
WHEELBASE (MM) ENGTH (MM) HEIGHT (MM) HEIGHT (MM) RICTH (MM) RROCK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) NTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) EGROOM (MM, FRONT / REAR) HEROOM (MM, FRONT / REAR) HEROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY FUEL TANK CAPACITY WELL TANK CA	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX	EX 2610 4346 1590 1790 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) HEIGHT (MM) RECK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) NTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) LARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 LX 40 REGULAR UNLEADED LX	EX 2610 4346 1590 1790 1790 1548/1533 196 1304 53/47 EX 984/957 1047/1017 1438/1315 2,76/2761 EX 40 REGULAR UNLEADED EX ©	2610 4346 1590 1790 1548/1553 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX-L HYBRI 40 REGULAR REGULAR UNLEADED EX-L HYBRI ©
WHEELBASE (MM) ENGTH (MM) HEIGHT (MM) HEIGHT (MM) FRACK (MM, FRONT / REAR) FROUND CLEARANCE (MM, UNLADEN) PURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) HEADROOM (MM, FRONT /	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX • • • • • • • • • • • • • • • • •	EX 2610 4346 1590 1790 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI © ©
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) WIDTH (MM) IRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) HEADROOM (MM, FRONT / REAR) HOULDER ROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS LED FOG LIGHTS FIN-TYPE ROOF-MOUNTED ANTENNA SECURITY SYSTEM WITH REMOTE ENTRY	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX •	EX 2610 4346 1590 1790 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 276/2761 EX 40 REGULAR UNLEADED EX ©	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI © © ©
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) FRACK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) JURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) NTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) HEADROOM (MM, FRONT / REAR) HEROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (LITERS, SEAT UP) PSEUL & CAPACITY FUEL TANK CAPACITY FUEL TO FUEL TO FEEL TO	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX •	EX 2610 4346 1590 1790 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX © ©	2610 4346 1590 1790 1548/1553 196 1380 54/46 EX-L HYBR 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX-L HYBR
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) HEIGHT (MM) RIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) INTERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) CARGO VOLUME (LITERS, SEAT UP) PASSENGER VOLUME (M3 / LITERS) FUEL & CAPACITY FUEL TANK CAPACITY (LITERS) REQUIRED FUEL EXTERIOR FEATURES LED HEADLIGHTS WITH AUTO-OFF LED BRAKE AND TAILLIGHTS LED FOG LIGHTS HIPT-TYPE ROOF-MOUNTED ANTENNA SECURITY SYSTEM SMART ENTRY SYSTEM REVERSE-LINKED INTERMITTENT REAR WINDOW WIPER / WASHER	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX • • • • • • • • • • • • • • • • • •	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX © ©	2610 4346 1590 1790 1748 /1553 196 1380 54 / 46 EX-L HYBRI 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI © © ©
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) HEIGHT (MM) JOTH (MM)	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX O O O O	EX 2610 4346 1590 1790 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX © ©	2610 4346 1590 1790 1748 / 1553 196 1380 54 / 46 EX-L HYBRI 984 / 957 1047 / 1017 1349 / 1151 354 / 1315 2.76 / 2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI © © ©
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) MIDTH (MM) RECKL (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) METERIOR MEASUREMENTS HEADROOM (MM, FRONT / REAR) LECROOM (MM, FRONT / REAR) SHOULDER ROOM (MM, FRONT / REAR) LEGROOM (MM, FRONT / REAR) LEGROOW (MM, F	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 2.76/2761 LX 40 REGULAR UNLEADED LX O O O O	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1551 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX © 0 0 0 0	2610 4346 1590 1790 1790 1548/1553 1380 54/46 EX-L HYBRI 984/957 1047/1017 1438/1357 1349/1151 2.76/2761 EX-L HYBRI 40 REGULAR UNLEADED EX-L HYBRI © 0 0 0 0 0 0
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) HEIGHT (MM) FRACK (MM, FRONT / REAR) SROUND CLEARANCE (MM, UNLADEN) JURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR) HEADROOM (MM, FRONT / REAR) HIPROOM (MM, FRONT / RE	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 LX 40 REGULAR UNLEADED LX O O O O	EX 2610 4346 1590 1790 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1357 1349/1151 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX © ©	2610 4346 1590 1790 1548 /1553 196 1380 54 / 46 EX-L HYBRI 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 2.76 / 2761 EX-L HYBRI © © © ©
WHEELBASE (MM) LENGTH (MM) HEIGHT (MM) MIDTH (MM) TRACK (MM, FRONT / REAR) GROUND CLEARANCE (MM, UNLADEN) CURB WEIGHT (KG) WEIGHT DISTRIBUTION (%, FRONT / REAR)	2610 4346 1590 1790 1548/1553 196 1294 53/47 LX 984/957 1047/1017 1438/1357 2.76/2761 LX 40 REGULAR UNLEADED LX O O O O	EX 2610 4346 1590 1790 1548/1553 196 1304 53/47 EX 984/957 1047/1017 1438/1551 354/1315 2.76/2761 EX 40 REGULAR UNLEADED EX © 0 0 0 0	2610 4346 1590 1790 1548 /1553 196 1380 54 / 46 EX-L HYBRI 984 / 957 1047 / 1017 1438 / 1357 1349 / 1151 354 / 1315 2.76 / 2761 EX-L HYBRI

SAFETY	LX	EX	EX-L HYBR
HONDA SENSING TECHNOLOGIES			
COLLISION MITIGATION BRAKING SYSTEM (CMBS)			0
ROAD DEPARTURE MITIGATION SYSTEM (RDM)			0
ADAPTIVE CRUISE CONTROL (ACC)			0
LANE KEEPING ASSIST SYSTEM (LKAS)		-	0
LEAD CAR DEPARTURE NOTIFICATION SYSTEM (LCDN)			0
DRIVER-ASSISTIVE TECHNOLOGY			
HONDA LANEWATCH	0	0	0
REAR SEAT REMINDER (RSR)	0	0	0
AUTO HIGH-BEAM HEADLIGHTS	0	0	0
ACTIVE SAFETY			
MULTI-ANGLE REARVIEW CAMERA WITH GUIDELINES	0	0	0
VEHICLE STABILITY ASSIST (VSA)	0	0	0
ANTI-LOCK BRAKING SYSTEM (ABS)	0	0	0
LED DAYTIME RUNNING LIGHTS (DRL)	0	0	0
PASSIVE SAFETY			
ADVANCED COMPATIBILITY ENGINEERING (ACE) BODY STRUCTURE	0	0	0
	0	9	0
FRONT AIRBAGS (SRS)			
FRONT SIDE AIRBAGS	0	0	0
SIDE CURTAIN AIRBAGS	0	0	0
3-POINT SEAT BELTS AT ALL SEATING POSITIONS	0	0	0
LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH): 2ND-ROW OUTBOARD	0	0	•
SEAT BELT REMINDER FOR ALL SEATING POSITIONS	0	0	0
	LX	EX	EX-L HYBR
COMFORT & CONVENIENCE			
AUTOMATIC CLIMATE CONTROL SYSTEM	0	DUAL-ZONE	DUAL-ZONE
POWER DOOR LOCKS	0	0	0
POWER WINDOWS WITH AUTO-UP / DOWN DRIVER'S WINDOW	0	0	0
LLUMINATED WINDOW AND DOOR LOCK CONTROLS	0	0	0
PUSH BUTTON START	0	0	•
ONE-TOUCH TURN INDICATORS	0	0	0
TILT AND TELESCOPIC STEERING COLUMN	0	0	0
BEVERAGE HOLDERS	0	0	0
LED MAP LIGHTS	0	0	0
DRIVER'S AND FRONT PASSENGER'S SEATBACK POCKET	0	0	0
PASSENGER-ASSIST GRIP (FRONT / REAR)	0	0	0
GARMENT HOOKS	0	0	0
REAR-SEAT HEATER DUCTS	0	0	0
REAR WINDOW DEFROSTER	0	0	0
REMOVABLE CARGO AREA COVER			0
CARGO AREA TIE-DOWN ANCHORS	0	0	0
ILLUMINATED STEERING WHEEL-MOUNTED CONTROLS	0	0	0
DRIVER'S AND FRONT PASSENGER'S VANITY MIRRORS	0	0	ILLUMINATE
SLIDING SLINVISORS WITH TICKET HOLDER	0	0	0
LED CARGO AREA LIGHT	0	0	0
LED CENTER CONSOLE STORAGE	0	0	0
	•		
LEATHER-WRAPPED STEERING WHEEL AND SHIFT KNOB		0	0
AUTOMATIC-DIMMING REARVIEW MIRROR	-		_
SEATING	LX	EX	EX-L HYBR
DRIVER'S SEAT WITH MANUAL HEIGHT ADJUSTMENT	0	0	8-WAY POWE
ADJUSTABLE FRONT SEAT-BELT ANCHORS	0	0	0
HEAD RESTRAINTS AT ALL SEATING POSITIONS	0	0	0
60 / 40 SPLIT 2ND-ROW MAGIC SEAT	0	0	0
SEATING CAPACITY	5	5	5
LEATHER-TRIMMED SEATS		-	0
	LX	EX	EX-L HYBR
AUDIO & CONNECTIVITY	0	0	0
		6-SPEAKERS	8-SPEAKERS
8-INCH COLOR TOUCH-SCREEN			o-sreakers
8-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS	0		-
8-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE	∅∅	0	0
8-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE 12-VOLT POWER OUTLET		0	0
B-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE 12-VOLT POWER OUTLET IN-CAR SMARTPHONE INTEGRATION APP	<!--</td--><td></td><td>0</td>		0
B-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE 12-VOLT POWER OUTLET IN-CAR SMARTPHONE INTEGRATION APP BLUETOOTH HANDS FREE LINK	<!--</td--><td>ØØØ</td><td>0</td>	ØØØ	0
B-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE 12-VOLT POWER OUTLET IN-CAR SMARTPHONE INTEGRATION APP BLUETOOTH HANDS FREE LINK BLUETOOTH STREAMING AUDIO	0 0 0	0	0
AUDIO & CONNECTIVITY 8-INCH COLOR TOUCH-SCREEN AUDIO SYSTEM WITH 4-SPEAKERS 2.5-AMP USB SMARTPHONE / AUDIO INTERFACE 12-VOLT POWER OUTLET IN-CAR SMARTPHONE INTEGRATION APP BLUETOOTH HANDS FREE LINK BLUETOOTH STREAMING AUDIO 4.2-INCH DRIVER INFORMATION INTERFACE (DII) SCREEN	<!--</td--><td>ØØØ</td><td>0</td>	ØØØ	0

